

Miscibilità di diversi farmaci da somministrare con pompa per via sottocutanea

	Clonazepam	Dexametasone	Fentanyl	Aloperidolo	Hyoscine butylbromid	Potassio	Ketamina	Levomepromazina	Eparina	Metadone	Metoclopramide	Midazolam	Morfina	Octreotide	Phenitoina	Ranitidina	Atropina	Dihydrocodeina	Furosemide	Bupivacaina	Catapresan	
Clonazepam		C _h		C _h	C _h		C _h	C _h	N	C _s	C _h	C _h	C _h									
Dexametasone	C _h		C _g		C _h		C _s	C _s	N	C _g	C _s	C _h	C _{gh}				C	C _h	C			
Fentanyl		C _g		C	C _g		C _s	C _s			C _g	C _s	C _s	C _s	N		C _g			C		
Aloperidolo	C _h	C _h	C		C		C _s	C	N	C _g	C _s	C _h	C _{gh}	C				C _h				
Hyoscine butylbromid	C _h	C _h	C	C			C _h	C _s	N	C _g	C _h	C _s	C _h	C _s		C _s						
Potassio										C			C			C						
Ketamina	C _h	C _s	C _s	C _s	C _h			C _s			C _s	C _s	C _s							C		
Levomepromazina	C _h	C _s	C _s	C	C _s		C _s			C _g	C _s	C _s	C _{gh}	C _s			C	C _h				
Eparina	N	N		N	N					N	N	N	N	N		N	N	N		N		
Metadone	C _s	C _g		C _g	C _g			C _g	N		C _g	C			N		C _g					
Metoclopramide	C _h	C _s	C _g	C _s	C _h	C	C _s	C _s	N	C _g		C _s	C _{gh}	C					N			
Midazolam	C _h	C _h	C	C _h	C _s		C _s	C _s	N	C	C _s		C _{gh}	C _s		C _h		C _h	N			
Morfina	C _h	C _{gh}	C _s	C	C _h	C	C _s	C _{gh}	N		C	C		C	N	C _h	C _g			C	C	
Octreotide			C _s	C	C _s			C _s	N		C	C _s	C									
Phenitoina			N							N			N									
Ranitidina					C _s	C			N			C _h	C _h									
Atropina		C	C _g					C	N	C _g			C _g									
Dihydrocodeina		C _h		C _h				C _h	N			C _h										
Furosemide		C									N	N										
Bupivacaina			C				C		N													
Catapresan													C									

C = compatibile (con h=H₂O; g=Glucosio; s=NaCl)
N= non compatibile

Tratto e adattato da H. Neuenschwander et al: Palliativmedizin, 2006